

[illegible]

1. A mobile communication terminal
comprising:

10

15

~~answer message s
e returned to
swer message s
r number stora
ther the calle
call signal is
storage means~~

20

17

2. The mobile communication terminal according to claim 1, wherein said caller number storage means stores caller numbers, caller names corresponding to the caller numbers and time-dependent switching codes in relation to each other, the time-dependent control codes designating callers for whom answer messages are switched depending on a time zone in which the call is made.

10

3. The mobile communication terminal according to claim 1, wherein said caller number storage means stores caller numbers, caller names corresponding to the caller numbers and forced alert codes in relation to each other, the forced alert code designating callers triggering a forced alert option for alerting a user of the mobile communication terminal of an incoming call even when an answering mode is activated.

25

4. The mobile communication terminal according to claim 1, wherein said caller number storage means stores caller numbers, caller names corresponding to the caller numbers and locked

30

669080" 55555555

dialing codes in relation to each other, the
locked dialing codes designating callers
authorized to set up a locked dialing option in
the mobile communication terminal from a calling
5 terminal.

10 5. The mobile communication terminal
according to claim 1, wherein said caller number
storage means stores caller numbers, caller names
corresponding to the caller numbers and voice mail
codes in relation to each other, the voice mail
15 codes designating callers authorized to set up a
voice mail option in the mobile communication
terminal from a calling terminal.

Add
A1

669030-SEE6960